Author Index Volume 27 (1991/92)

Abritta T see Andrade CT
Aizawa M see Nemoto N
Alencar C see Coutinho MB
Andrade CT, Garcia RB, Abritta T: Viscometric and transmitted light investigation of agarose and agarose-guar water systems 297
Andrady AL, Mark JE: Dynamic mechanical relaxations in swollen elastin networks 227
Andreani F, Costa Bizzari P, Della Casa C, Salatelli E: First approach to ester-functionalized poly(3-alkylthienylene)s 117
Anton A see Atchekzai J
Apicella A see Mensitieri G
Arnold M see Zaschke B
Atchekzai J, Bonnetot B, France B, Mongeot H, Anton A, Dubuisson A, Chastagner P: Catalytic curing agents. A study of boron halide and boron isothiocyanate complexes with tertiary amines as catalytic agents for epoxide and epoxy-isocyanate mixtures 47

Barson CA, Bevington JC, Huckerby TN, Hunt BJ: The involvement of 1,6-diphenyl-1,3,5-hexatriene and 1,8-diphenyl-1,3,5,7-octatetraene in the radical polymerization of methyl methacrylate 53
Barton JM, Hamerton I, Jones JR, Stedman JC: A comparative study of the relative reactivity of alkenyl-functionalized toughening modifiers for bis-maleimides 163
Bartulin J, Parra M, Ramirez A, Zunza H: Modification of phenolic resins containing crown ether units 251
Belleney J, Blottiau R, Carriere FJ: Polymerization of β-propiolactone via nickel-chelate complexes 185
Bercea M, Ioan S, Simionescu BC, Simionescu CI: Interpretation of long-chain structure from dilute solution properties of ultrahigh molecular weight polymers 571
Bevington JC see Barson CA
Binns MR, Lukey CA, Hill DJT, O'Donnell JH, Pomery PJ: A new technique for the study of reactive species generated during the initial stages of polymer photodegradation 421
Blottiau R see Belleney J
Bluhm TL see Sundararajan PR
Bonnetot B see Atchekzai J
Borbély J see Nemes S
Borda J see Nemes S
Bouchal K see Sedláková Z
Bower KE, Farona MF: Copolymers of substituted acetylenes and ethynylbenzocyclobutenes 129
Brown PG, Fujimori K, Tucker DJ: Quantitative determination of the content of *cis*/*trans* configurations of maleic anhydride units in *p*-methoxystyrene-maleic anhydride copolymers by ^{13}C NMR DEPT experiments 543
Budinski JK see Veličković JS
Buhk M see Jandt KD
Bürgel T, Fedtke M: Reactions of cyclic carbonates with amines: Model studies for curing process 171
Burillo G see Pérez J
Butler NL see Morgan RJ

Campoy I, Marco C, Gómez MA, Fatou JG: Thermal transitions of liquid crystal polyesters: Poly(decamethylene-4,4′-diphenoxy terephthalate) 81
Cárdenas GT, Retamal CC, Klabunde KJ: Synthesis and molecular weights of metal(styrene-methyl metharylate) copolymer. III 383
Carriere FJ see Belleney J
Chang SJ see Tsai HB
Chapman RD see Gilman JW
Chastagner P see Atchekzai J
Chatterjee SK, Rajabi FH, Farahani BV, Chatterjee N: Investigation of polyelectrolyte-transition metal ion association in mixed solvents 179
Chatterjee SK, Rajabi FH, Farahani BV, Chatterjee N: Metal-containing intermacromolecular complexes: Electrochemical and viscometric studies in DMF-methanol mixture 451
Chatterjee N see Chatterjee SK
Cherrak DE, Djadoun S: A study of mixtures of poly(ethylene oxide) with polystyrene or poly(styrene-co-acrylic acid) by inverse gas chromatography and viscometry 289
Chiriac A see Simionescu CI
Cho SO see Lee JY
Chujo Y, Tomita I, Saegusa T: Hydroboration copolymerization. Synthesis of organoboron copolymers by the reactions of dienes or diene/diyne with thexylborane 375
Claußen F see Klee J
Costa Bizzari P see Andreani F
Coutinho MB, Alencar C, Santa Maria LC: Propylene polymerization with δ-$TiCl_3$/$AlClEt_2$ and δ-TiCl/$AlEt_3$ catalyst systems II. Effect of polymerization parameters 645
Crone G, Natansohn A: Compatibilization of poly(methyl acrylate) and polystyrene through charge transfer interactions 73
Crone G see Russell E

Day RJ, Hu X, Stanford JL, Young RJ: The opto-mechanical behavior of diacetylene-containing segmented block copolymers 353
Del Nobile MA see Mensitieri G
Della Casa C see Andreani F
Derks F see Loontjens T
Djadoun S see Cherrak DE
Drăgan S, Grigoriu G, Petrariu I: Cationic polyelectrolytes. IX. New aspects of poly(*N*,*N*dialkylaminoalkylacrylamides) synthesis via nitrile group reaction of polyacrylonitrile with *N*,*N*dialkylaminoalkylamines 17
Du Z see Qiu H
Dubuisson A see Atchekzai J

Edge S, Feast WJ, Pacynko WF, Preston L, Walker S: The surface modification of poly(ether-imide) by photochemical grafting 441
Eng LM see Jandt KD
Engberg K, Jonsson H, Hult A, Gedde UW: Kinetics of isotropic-smectic phase transitions in a liquid-crystalline polyether with a methylene spacer of 12 carbons 315
Erciyes AT see Erim M
Erim M, Erciyes AT, Serhatli IE, Yağci Y: Aqueous polymerization of acrylamide initiated by 4,4′-azobis(4-cyano pentanol) and chain extension of polyacrylamide by means of ceric ion redox systems 361

Farahani BV see Chatterjee SK
Farona MF see Bower KE
Fatou JG see Campoy I
Feast WJ see Edge S
Fedtke M see Bürgel T
Fedtke M see Pfitzmann A

Author Index Volume 27 (1991/92)

Abritta T see Andrade CT
Aizawa M see Nemoto N
Alencar C see Coutinho MB
Andrade CT, Garcia RB, Abritta T: Viscometric and transmitted light investigation of agarose and agarose-guar water systems 297
Andrady AL, Mark JE: Dynamic mechanical relaxations in swollen elastin networks 227
Andreani F, Costa Bizzari P, Della Casa C, Salatelli E: First approach to ester-functionalized poly(3-alkylthienylene)s 117
Anton A see Atchekzai J
Apicella A see Mensitieri G
Arnold M see Zaschke B
Atchekzai J, Bonnetot B, France B, Mongeot H, Anton A, Dubuisson A, Chastagner P: Catalytic curing agents. A study of boron halide and boron isothiocyanate complexes with tertiary amines as catalytic agents for epoxide and epoxy-isocyanate mixtures 47

Barson CA, Bevington JC, Huckerby TN, Hunt BJ: The involvement of 1,6-diphenyl-1,3,5-hexatriene and 1,8-diphenyl-1,3,5,7-octatetraene in the radical polymerization of methyl methacrylate 53
Barton JM, Hamerton I, Jones JR, Stedman JC: A comparative study of the relative reactivity of alkenyl-functionalized toughening modifiers for bis-maleimides 163
Bartulin J, Parra M, Ramirez A, Zunza H: Modification of phenolic resins containing crown ether units 251
Belleney J, Blottiau R, Carriere FJ: Polymerization of β-propiolactone via nickel-chelate complexes 185
Bercea M, Ioan S, Simionescu BC, Simionescu CI: Interpretation of long-chain structure from dilute solution properties of ultrahigh molecular weight polymers 571
Bevington JC see Barson CA
Binns MR, Lukey CA, Hill DJT, O'Donnell JH, Pomery PJ: A new technique for the study of reactive species generated during the initial stages of polymer photodegradation 421
Blottiau R see Belleney J
Bluhm TL see Sundararajan PR
Bonnetot B see Atchekzai J
Borbély J see Nemes S
Borda J see Nemes S
Bouchal K see Sedláková Z
Bower KE, Farona MF: Copolymers of substituted acetylenes and ethynylbenzocyclobutenes 129
Brown PG, Fujimori K, Tucker DJ: Quantitative determination of the content of *cis*/*trans* configurations of maleic anhydride units in *p*-methoxystyrene-maleic anhydride copolymers by ^{13}C NMR DEPT experiments 543
Budinski JK see Veličković JS
Buhk M see Jandt KD
Bürgel T, Fedtke M: Reactions of cyclic carbonates with amines: Model studies for curing process 171
Burillo G see Pérez J
Butler NL see Morgan RJ

Campoy I, Marco C, Gómez MA, Fatou JG: Thermal transitions of liquid crystal polyesters: Poly(decamethylene-4,4′-diphenoxy terephthalate) 81
Cárdenas GT, Retamal CC, Klabunde KJ: Synthesis and molecular weights of metal(styrene-methyl metharylate) copolymer. III 383
Carriere FJ see Belleney J
Chang SJ see Tsai HB
Chapman RD see Gilman JW
Chastagner P see Atchekzai J
Chatterjee SK, Rajabi FH, Farahani BV, Chatterjee N: Investigation of polyelectrolyte-transition metal ion association in mixed solvents 179
Chatterjee SK, Rajabi FH, Farahani BV, Chatterjee N: Metal-containing intermacromolecular complexes: Electrochemical and viscometric studies in DMF-methanol mixture 451
Chatterjee N see Chatterjee SK
Cherrak DE, Djadoun S: A study of mixtures of poly(ethylene oxide) with polystyrene or poly(styrene-co-acrylic acid) by inverse gas chromatography and viscometry 289
Chiriac A see Simionescu CI
Cho SO see Lee JY
Chujo Y, Tomita I, Saegusa T: Hydroboration copolymerization. Synthesis of organoboron copolymers by the reactions of dienes or diene/diyne with thexylborane 375
Claußen F see Klee J
Costa Bizzari P see Andreani F
Coutinho MB, Alencar C, Santa Maria LC: Propylene polymerization with δ-$TiCl_3$/$AlClEt_2$ and δ-TiCl/$AlEt_3$ catalyst systems II. Effect of polymerization parameters 645
Crone G, Natansohn A: Compatibilization of poly(methyl acrylate) and polystyrene through charge transfer interactions 73
Crone G see Russell E

Day RJ, Hu X, Stanford JL, Young RJ: The opto-mechanical behavior of diacetylene-containing segmented block copolymers 353
Del Nobile MA see Mensitieri G
Della Casa C see Andreani F
Derks F see Loontjens T
Djadoun S see Cherrak DE
Drăgan S, Grigoriu G, Petrariu I: Cationic polyelectrolytes. IX. New aspects of poly(*N*,*N*dialkylaminoalkylacrylamides) synthesis via nitrile group reaction of polyacrylonitrile with *N*,*N*dialkylaminoalkylamines 17
Du Z see Qiu H
Dubuisson A see Atchekzai J

Edge S, Feast WJ, Pacynko WF, Preston L, Walker S: The surface modification of poly(ether-imide) by photochemical grafting 441
Eng LM see Jandt KD
Engberg K, Jonsson H, Hult A, Gedde UW: Kinetics of isotropic-smectic phase transitions in a liquid-crystalline polyether with a methylene spacer of 12 carbons 315
Erciyes AT see Erim M
Erim M, Erciyes AT, Serhatli IE, Yağci Y: Aqueous polymerization of acrylamide initiated by 4,4′-azobis(4-cyano pentanol) and chain extension of polyacrylamide by means of ceric ion redox systems 361

Farahani BV see Chatterjee SK
Farona MF see Bower KE
Fatou JG see Campoy I
Feast WJ see Edge S
Fedtke M see Bürgel T
Fedtke M see Pfitzmann A

Filipović JM see Veličković JS
Fischer A see Pfitzmann A
Fischer H see Rötz U
Fischer H see Zaschke B
Fischer H, Rötz U, Lindau J, Mädicke A, Kuschel F: Liquid-crystalline polyesters with Y-shaped mesogens: Phase structure peculiarities 657
France B see Alchekzai J
Frank W see Zaschke B
Fryauf K see Pfitzmann A
Fuchs H see Jandt KD
Fujimori K see Brown PG

Galante MJ, Vázquez A, Williams RJJ: Macro- and microgelation in the homopolymerization of diepoxides initiated by tertiary amines 9
Garcia RB see Andrade CT
Gargallo L see Opazo A
Gedde UW see Engberg K
Gerroir PJ see Sundararajan PR
Gilman JW, Otonari YA, Chapman RD: Synthesis of new triisocyanate curatives 2,2-bis(isocyanatomethyl)propyl isocyanate and 4-(isocyanatomethyl-1,7-heptyl diisocyanate 591
Godovsky YK, Valetskaya LA: Mesophase elastomers: Stress-induced mesophase formation in poly(diethylsiloxane) networks and their thermomechanical behavior 221
Gómez MA see Campoy I
Goosen MFA see Zhang X
Graaf LA de, Möller M: Microphase separated semi-interpenetrating polymer networks from atactic polystyrene and methacrylates – A novel route 681
Grigoriu G see Drăgan S

Haba O see Kakuchi T
Hall Jr HK see Lee JY
Hall Jr HK see Way TF
Hallensleben ML, Marchig C: Synthesisand radicalreaction behavior of (1-trimethylsilyl-ethinyl)-(1-methyl-vinyl) ketone 367
Hallensleben ML, Stanke D: Reaction behavior of *N*-methacryloyl pyrrole in radical polymerizations 155
Hallensleben ML see Menzel H
Hamerton I see Barton JM
Harada Y see Kakuchi T
Hashimoto H see Kakuchi T
Hatada K see Nishiura T
Hedrick JL: Solid-state properties of xylenylether-arylether sulfone triblock copolymers 665
Heinze T see Schnabelrauch M
Higashimura T see Izumikawa H
Hill DJT see Binns MR
Hirohashi R see Kubo N
Ho CK see Won HJ
Hoffman DC see Storey RF
Hörhold HH see Klee J
Horský J, Walterová Z: Effect of molecular weight of poly(oxyethylene) on its complexation with potassium thiocyanate in methanol 275
Hrouz J see Sedláková Z
Hu X see Day RJ
Huang Y, Jiang SH: TEM observation of (E-CE)/PAA composite polymerized by ultraviolet initiation 535
Huckerby TN see Barson CA
Hult A see Engberg K
Hunt BJ see Barson CA

Ihm SK see Park KS
Ikeda K see Nemoto N
Ikeda K see Sekimiya S
Ikeda M see Kubo N
Ilavský M see Sedláková Z

Ilić L see Stanković RI
Inoue M, Navarro RE, Inoue MB: Electrical conductivities and electron spin resonance spectra of polyaniline salts with different counteranions 435
Inoue MB see Inoue M
Ioan S see Bercea M
Izumikawa H, Masuda T, Higashimura T: Study on the geometric structure of poly[1-(trimethylsilyl)-1-propyne] by ^{13}C and ^{29}Si NMR spectroscopies 193

Jabbari E, Peppas NA: Mapping the concentration profile at the poly(vinyl chloride)/poly(ethyl methacrylate) interface 305
Jahnke P see Kricheldorf HR
Jandt KD, Buhk M, Petermann J, Eng LM, Fuchs H: High-resolution STM-imaging of highly oriented ultra thin poly(ethylene) films 101
Jenkins DK see Wilson DJ
Jiang SH see Huang Y
Jones JR see Barton JM
Jonsson H see Engberg K
Jovanović S see Stanković RI

Kakuchi T, Haba O, Harada Y, Hashimoto H, Yokota K: Synthesis of poly(hemispherand) via cyclopolymerization of diepoxide 599
Karasz FE see Rutt JS
Karger-Kocsis J: Microstructural aspects of fracture and fatigue behavior in short fiber-reinforced, injection-molded PPS-, PEEK- and PEN-composites 109
Kawate K, Sasaki T: Effect of monofunctional diluents on the mechanical properties of electron beam cured films obtained from urethane prepolymers 213
Kelen T see Nemes S
Kelen T see Sipos L
Kennedy JP see Tsunogae Y
Kitayama T see Nishiura T
Klabunde KJ see Cárdenas GT
Klee J, Claußen F, Hörhold HH, Raddatz J: Synthesis and investigation of α,ω-methacryloyl-terminated epoxide-amine macromonomers 511
Klee J, Rode P, Hörhold HH: Dithioles – constituents for telechelic prepolymers with glycidyl or thiol endgroups 473
Klemm D see Schnabelrauch M
Kleuskens E see Loontjens T
Kobayashi E see Sekimiya S
Kobayashi N see Kubo N
Köhler M see Reinisch G
Kotera N, Taki H, Takaki M, Takahashi K: Studies of aqueous resins IV. Characteristics of water-dispersed polyesters containing polar groups 673
Kötz J see Schnabelrauch M
Kricheldorf HR, Jahnke P: New polymer syntheses. 53. Aromaticpolysulfides by polycondensation of silylated 1,3-bismercaptobenzene 135
Krstina J, Moad G, Solomon DH: Effect of ethyl aluminium sesquichloride on the specificity of the reactions of 1-methyl-1-methoxycarbonylethyl radical. Implications as to the mechanism of alternating copolymerization 425
Krüger R see Reinisch G
Kubo N, Kobayashi N, Ikeda M, Hirohashi R: Photoinduced ionic conductivity in poly(ethylene glycol) containing malachite green leuco hydroxide 447
Kuschel F see Fischer H
Kuschel F see Rötz U

Lechner MD see Stanković RI
Lee JY, Cho SO, Padias AB, Hall Jr HK: Synthesis and radical polymerization of 1,1,2-tricyano-2-carbomethoxycyclopropylstyrene 25
Lenz RW see Zhou QF

Ley G see Zosel A
Li HC see Tsai HB
Lightsey AK see Mathias LJ
Lindau J see Fischer H
Lindau J see Rötz U
Loccufier J, Van Bos M, Schacht E: Convenient method for the analysis of primary and secondary hydroxyl end groups in polyethers 201
Loontjens T, Derks F, Kleuskens E: Block copolymers of poly(vinyl ethers) and poly(ethylene glycol) by means of the living cationic polymerization of vinyl ethers 519
Lukey CA see Binns MR
Lyman DJ see Wang TL

MacKnight WJ see Petrović ZS
Mädicke A see Fischer H
Makino K, Tsuda K, Takaki M: Preparation of soluble [($TiCl_4$+$MgCl_2$)·phosphate] and soluble [($TiCl_3$-O-MgCl)·phosphate] catalysts and their use for copolymerization of ethylene with propylene 41
Marchig C see Hallensleben ML
Marco C see Campoy I
Mark JE see Andrady AL
Masuda T see Izumikawa H
Mathias LJ, Roberts CC, Muthiah J: Cyanoethylation of cyclopentadiene: Isolation of penta- and hexa(β-cyanoethyl)cyclopentadiene and an unexpected acrylonitrile polymer 389
Mathias LJ, Thompson RD, Lightsey AK: A novel thioether polymer with pendent ester groups from a readily available acrylate derivative 395
Mensitieri G, Apicella A, Del Nobile MA, Nicolais L: Solvent mixtures sorption in amorphous PEEK 323
Menzel H, Hallensleben ML: LB films of photochromic polyglutamates 89
Menzel H, Weichart B, Hallensleben ML: Langmuir-Blodgett-films of photochromic polyglutamates II. Synthesis and spreading behavior of photochromic polyglutamates with alkylspacers and -tails of different lenght 637
Minter JR see Texter J
Moad G see Krstina J
Möller M see Graaf LA de
Mongeot H see Atchekzai J
Morgan RJ, Butler NL: Hydrolytic degradation mechanism of Kevlar 49 fibers when dissolved in sulfuric acid 689
Muthiah J see Mathias LJ

Natansohn A see Crone G
Natansohn A see Russell E
Navarro RE see Inoue M
Neamtu I see Simionescu CI
Nehls I see Schnabelrauch M
Nemes S, Borbély J, Borda J, Kelen T: Highly functionalized polystyrene by direct metalation-carboxylation 123
Nemoto N see Sekimiya S
Nemoto N, Aizawa M, Ueno Y, Ikeda K, Takamiya N: Esterolyses of *p*-nitrophenyl esters catalyzed by dialkylaminopyridines attached to polyorganosiloxane 413
Nicolais L see Mensitieri G
Nishiura T, Kitayama T, Hatada K: Preparation of stereoregular block copolymer comprising isotactic PMMA and polyisobutylene blocks and its characterization 615
Nordmeier E see Stanković RI

O'Donnell JH see Binns MR
Ogawa T see Pérez J
Opazo A, Gargallo L, Radić D: Miscibility of poly(2,6-dimethyl-1,4-phenylene oxide)/poly(vinyl pyrrolidone) blends 205
Oppenheimer LE see Texter J
Otonari YA see Gilman JW

Pacynko WF see Edge S
Padias AB see Lee JY
Padias AB see Way TF
Park KS, Ihm SK: Characteristics of phosphinated styrene/divinylbenzene copolymer containing $RuCl_2(PPh_3)_3$ for 1-hexene isomerization 399
Parra M see Bartulin J
Pastor JM, Saavedra P, Saja JA de: Analysis of the longitudinal acoustic mode (LAM) of poly(3,3-dipropyl oxetane) 95
Peppas NA see Jabbari E
Percec V, Wang JH, Yu L: Synthesis of aromatic polyethers by Scholl reaction. X. Synthesis and cation-radical polymerization of 1,5-bis(1-naphthoxy)-3-oxapentane 503
Pérez J, Burillo G, Roa M, Vázquez C, Ogawa T: Diacetylene-containing polymers. I. Poly(*m,m'*-butadiynylene dibenzylterephthalate) 527
Petermann J see Jandt KD
Petrariu I see Drăgan S
Petrović ZS, MacKnight WJ: The application of size exclusion chromatography equipped with RI and LALLS detectors to study network formation 281
Petrović ZS see Veličković JS
Petrović-Djakov DM see Veličković JS
Pfitzmann A, Fischer A, Fryauf K, Fedtke M: Curing of epoxy resins by dicyandiamide 557
Pfitzmann A, Schlothauer K, Fedtke M: Epoxy resin curing by dicyandiamide using model compounds 59
Piche Y see Sundararajan PR
Pichora D see Zhang X
Pizarro G del C see Rivas BL
Plavsić MB see Veličković JS
Pomery PJ see Binns MR
Preston L see Edge S

Qiu H, Yu S, Ren H, Du Z: Syntheses of polysilanes having cyclodisilazane units in the backbone 607

Raddatz J see Klee J
Radić D see Opazo A
Rajabi FH see Chatterjee SK
Ramirez A see Bartulin J
Reicha FM see Soliman MA
Reinisch G, Wigant L, Krüger R, Köhler M: Si-containing copolymer of 2,3-epoxypropyl-1-methacrylate. Photoresist sensitivity and plasma-etching behavior 565
Ren H see Qiu H
Retamal CC see Cárdenas GT
Rinaudo M: On the abnormal exponents a_η and a_D in Mark Houwink type equations for wormlike chain polysaccharides 585
Rivas BL, Pizarro G del C: Spontaneous copolymerization of 1-(2-hydroxyethyl)aziridine with *N*-phenylmaleimide and *p*-methoxyphenylmaleimide 235
Roa M see Pérez J
Roberts CC see Mathias LJ
Rode P see Klee J
Rötz U, Lindau J, Fischer H, Kuschel F: Synthesis and properties of dimesogenic liquid crystalline side group polymers 481
Rötz U see Fischer H
Russell E, Crone G, Natansohn A: Compatibilization of poly(methyl acrylate) with poly(methyl metharylate) through charge transfer interactions 67
Rutt JS, Takahashi Y, Karasz FE: Phase behavior of thermotropic liquid crystalline/conducting polymer blends 261

Saavedra P see Pastor JM
Saegusa T see Chujo Y
Saja JA de see Pastor JM
Salatelli E see Andreani F
Santa Maria LC see Coutinho MB

Sasaki T see Kawate K
Schacht E see Loccufier J
Schlothauer K see Pfitzmann A
Schmutzler K see Zaschke B
Schnabelrauch M, Heinze T, Klemm D, Nehls I, Kötz J: Investigations on synthesis and characterization of carboxygroups containing cellulose sulfates 147
Sedláková Z, Bouchal K, Hrouz J, Ilavský M: Phase transition in swollen gels. 16. Effect of charge polarity in the side chain on the collapse of poly(acrylamide) networks 577
Sekimiya S, Kobayashi E, Nemoto N, Ueno Y, Ikeda K, Takamiya N: Liquid crystalline side-chain polysiloxanes containing mesogenic groups attached by esterification 37
Serhatli IE see Erim M
Shaban AM see Soliman MA
Shaffer TD, Shaffer ML: The influence of H-bonding in liquid crystalline polyazomethine ethers 429
Shaffer ML see Shaffer TD
Simionescu BC see Bercea M
Simionescu CI, Chiriac A, Neamţu I: High conversion synthesis of poly(methyl methacrylate) 31
Simionescu CI see Bercea M
Sipos L, Zsuga M, Kelen T: Living ring-opening polymerization of L,L-lactide initiated with potassium *t*-butoxide and its 18-crown-6 complex 495
Soliman MA, Reicha FM, Shaban AM: Frequency-dependent activation energy of AC-conductivity in poly(4,4′-*N*,*N*diiminosulfoxide diaminophenyl ether) 311
Solomon DH see Krstina J
Stanford JL see Day RJ
Stanke D see Hallensleben ML
Stanković RI, Ilić L, Nordmeier E, Jovanović S, Lechner MD: Dilute solution properties of pullulan by dynamic light scattering 337
Stedman JC see Barton JM
Stonich DA, Weber WP: Synthesis and characterization of poly[(2-dimethylsilyl-2-cyclopentene-1,4-diyl) vinylene] 243
Storey RF, Hoffman DC: Quantifying hydroxyl functionality of telechelic poly(ethylene ether carbonate) diols 267
Sundararajan PR, Gerroir PJ, Bluhm TL, Piche Y: Morphological studies on the blends of polyethylene oxide and cellulose ethers 345

Takahashi K see Kotera N
Takahashi Y see Rutt JS
Takaki M see Kotera N
Takaki M see Makino K
Takamiya N see Nemoto N
Takamiya N see Sekimiya S
Taki H see Kotera N
Texter J, Oppenheimer LE, Minter JR: Microemulsion polymerization in the water, aerosol-OT, terahydrofurfuryl methacrylate system 487
Thompson RD see Mathias LJ
Tomita I see Chujo Y
Tsai HB, Li HC, Chang SJ, Yu HH: Copolyesters. VI. Block copolyesters of poly(butylene terephthalate) and poly(butylene adipate) 141
Tsuda K see Makino K
Tsunogae Y, Kennedy JP: Thermoplastic elastomers by sequential monomer addition VI. Poly(*p*-methylstyrene-*b*-osobutylene-*b*-*p*-methylstyrene) 631

Tucker DJ see Brown PG

Ueno Y see Nemoto N
Ueno Y see Sekimiya S

Valetskaya LA see Godovsky YK
Van Bos M see Loccufier J
Vázquez A see Galante MJ
Vázquez C see Pérez J
Veličković JS, Filipović JM, Plavsić MB, Petrović-Djakov DM, Petrović ZS, Budinski JK: Glass transition temperatures T_g of poly(tolyl methacrylates) and poly(dixylenyl itaconates) 331

Walker S see Edge S
Walterová Z see Horský J
Wang JH see Percec V
Wang TL, Lyman DJ: The effect of reaction conditions on the urethane prepolymer formation 549
Way TF, Padias AB, Hall Jr HK: Homopolymerization and copolymerization of 1-phenylsulfonylbicyclobutene 651
Weber WP see Stonich DA
Weichart B see Menzel H
Wigant L see Reinisch G
Williams RJJ see Galante MJ
Wilson DJ, Jenkins DK: Butadiene polymerization using ternary neodymium-based catalyst systems. The effect of catalyst component addition order 407
Won HJ, Ho CK: Morphology, rheological and mechanical properties of poly(phenylene ether) and polyamide-6 blends with a compatibilizer 465
Wu ZC see Zhou QF
Wyss U see Zhang X

Yağci Y see Erim M
Yokota K see Kakuchi T
Young RJ see Day RJ
Yu HH see Tsai HB
Yu L see Percec V
Yu S see Qiu H

Zaschke B, Frank W, Fischer H, Schmutzler K, Arnold M: Synthesis and characterization of LC side chain AB block copolymers 1
Zhang X, Wyss U, Pichora D, Goosen MFA: An investigation of the synthesis and thermal stability of poly(DL-lactide) 623
Zhou QF, Wu ZC, Lenz RW: Liquid crystalline polyesters with two-dimensional mesogenic units 257
Zosel A, Ley G: Film formation of lattices with crosslinked particles 459
Zsuga M see Sipos L
Zunza H see Bartulin J

Indexed in *Current Contents*

Subject Index Volume 27 (1991/92)

AB block copolymers, LC side-chain 1
Acetylenes, substituted/ethynylbenzocyclobutenes 129
Acrylamide 577
–, aqueous polymerization 361
Acrylate derivative, thioether polymer 395
Acrylonitrile 571
– polymer, cyclopentadiene 389
Adhesives 681
Agarose-guar water systems 297
AIBMe-α-^{13}C 425
Amines, tertiary, in epoxide homopolymerization 9
Aureobasidium pullulans 337
Azobenzene chromophores, photochromic 89
4,4′-Azobis(4-cyano pentanol) 361
Azobisisobutylonitrile 53

Benzocyclobutene 129
Benzoyloxy radical, capturing 53
Bicontinuity 681
Bicyclobutanes, electron-attracting substituents 651
Binder systems 591
Biocompatibility 623
Biodegradability 623
Biopolymers 297, 337
1,4-Bis(anisylimido)benzene 429
Bisaryloxy derivatives, Scholl reaction 503
Bisazides, aromatic 565
N,N′-Bis(chlorodimethylsilyl)tetramethylcyclodisilazane 607
Bis(4-hydroxyphenoxy)-*p*-xylene 315
2,2-Bis(isocyanatomethyl)propyl isocyanate 591
Bismaleimides, alkenyl-functionalized toughening modifiers 163
Bis(4-maleimidophenyl)methane 163
1,3-Bismercaptobenzene, silylated 135
1,5-Bis(1-naphthoxy)-3-oxapentane 503
1,3-Bis(trimethylsilylmercapto)benzene 135
Block copolymers, diacetylene-containing segmented 353
Boron halide/boron isothiocyanate complexes 47
– trifluoride-amine adducts 47
Bromomalononitrile 25
Bulk polymerization 31
Butadiene polymerization, ternary neodymium-based catalyst systems 407
Butadiynylene dibenzyl alcohol *m,m′*-)/terephthaloyl chloride 527
2-Butoxyethanol 673
Butyl methacrylate 571
n-Butyllithium 123

Carbonates, cyclic/amines 171
Carbosilane polymers 243
Carboxymethyl cellulose 147, 345
Catalysts, neodymium 407
–, polymer-anchored 399
Cellulose derivatives 585
– ethers/poly(ethylene oxide) 345
– sulfates, carboxy-groups containing 147
Ceric ion redox systems 361
Charge transfer interactions 67,73
– – properties, conducting polymers 435
Chloromethylated styrene-divinylbenzene 399
Chloromethylmethylether 399
Chloromethylstyrene 399
2-Chloro-2,4,4-trimethylpentane 631
Collapse, phase transition 577
Colloidal metals 383
Compatibilizer 465
Compatible polymer blends 67, 73
Conducting polymers 117, 435
– –, ac electrical conductivity 311
– –, thermotropic 261
Copolyesters, block 141
Copolymerization, spontaneous 235
Copolyurethanes 353
Cross polarization/magic angle spinning NMR 429
Crosslinked polymer systems 681
Crosslinking agents 591
Crown ethers 599
– –, chromogenic 251
Curing agents, catalytic 47
1-Cyanobicyclobutane 651
Cyclopentadiene, cyanoethylation 389
Cyclopentadienyl anions, electrophilic substitution 389

DGEDA 9, 47, 473, 511, 557
Diacetylene-containing polymers/copolymers 353, 527
– urethane 353
N,N-Dialkylaminoalkylamines 17
Dibenzo-18-crown-6 599
Dichloroaromatics, activated 135
Dichlorosilanes 607
Dichlorotris(triphenylphosphine)ruthenium 399
Dicyandiamide, epoxy resins 59, 557
Diene/diyne mixture, polyaddition 375
Diepoxides 473
–, cyclopolymerization 599
–, homopolymerization 9
Diethylaluminium chloride 645
4,4′-Difluorodiphenylsulfone 135
2,6-Difluoropyridine 135
Dimesogenic polymers 481
N,N′-Dimethyl-*n*-octylamine 47
2-Dimethylsilylbicyclo[2.2.1]hept-2,5-diene 243
2-(3,5-Dinitrobenzoyl)oxyethyl methacrylate 67, 73
1,4-Diphenyl-1,3-butadiene 53
1,6-Diphenyl-1,3,5-hexatriene 53
1,8-Diphenyl-1,3,5,7-octateraene 53
Dithioles 473
Divinylbenzene 399
DMF/methanol mixture 451

E-CE/PAA composite 535
Elastin networks, swollen 227
– /triethylene glycol 227
Elastomers, thermoplastic 631
Electrical conductivities 311, 435
Electrolytes, solid polymer 447
Energy-dispersive spectroscopy 305
Epoxide/epoxy-isocyanate mixtures 47
– /amine addition polymers 473
– – macromonomers, α,β-methacryloyl terminated 511
Epoxy resins, amine- and anhydride hardened 473
– –, CO_2-modified 171
– –, curing by dicyandiamide 557
– –, –, dicyandiamide 59
– –, homopolymerization 9
– –, intermediates 171
Epoxy-dicyandiamide systems 59
Epoxy-isocyanate resins 47
2,3-Epoxypropyl-1-methacrylate, Si-containing copolymer 565

Esterolyses 413
Esters 413
Ether/thioether copolymer 395
Ethyl aluminium sesquichloride 425
Ethyl-cyanoethyl cellulose/acrylic acid 535
Ethylene carbonate 267
– /propylene copolymerization 41
Ethynylbenzocyclobutenes/acetylenes, substituted 129

Fatigue crack propagation 109
Films, electron beam cured 213
–, latices 459
–, uniform 117
–, water-resistant 673
Foams 487

Galactomannans 297
Gelation theory 281
Gels, phase transition in swollen 577
Genetic zwitterions 235
Glassy polymers, solvent sorption 323

Hemispherand 599
Hexa(β-cyanoethyl)cyclopentadiene 389
1,3,5-Hexatriene 53
Highly oriented pyrolytic graphite 101
Hydroboration copolymerization 375
1-(2-Hydroxyethyl)aziridine, spontaneous copolymerization 235
2-Hydroxyethylmethacrylate, photochemical grafting 441
Hydroxyl functionality 267
Hydroxypropylcellulose 345

Insoluble polymers 429
Interdiffusion, polymer/polymer 305
Intermacromolecular complexes, metal-containing 451
Interpenetrating polymer networks 681
Inverse gas chromatography 289
Ion etching 565
Ionic conductivity, photoinduced 447
Isocyanate-endcapped polyol 549
Isocyanates, polyfunctional, binder systems 591
4-Isocyanatomethyl)-1,7-heptyl diisocyanate 591
Isotropic-mesomorphic state transitions 315
Itaconic acid 331

Kevlar 49 fibers, hydrolytic degradation 689

L-Lactic acid, copolyesters 495
L,L-Lactide 495
Laminates 59
Langmuir-Blodgett films 637
– – –, high stability/homogenity 89
Latex films 459
Latexes 487
LC (Liquid crystalline)
– /conducting polymer blends 261
– polymers 429, 663
– –, main-chain 81
– –, thermotropic 261, 535
– side-chain AB block copolymers 1
– – –, polysiloxanes 37
– – side-group polymers, dimesogenic 481
Lewis acids, copolymerization 425
Living carbocationic polymerization 631
Longitudinal acoustic mode 95

Macrolytic systems 599
Macromonomers, methacryloyl-terminated 511
Malachite green leuco hydroxide 447
Maleic anhydride units, copolymers 543
Maleimides 163
Maltotriose 337
Mark Houwink type equations 585
Medically useful polymer 495
Mesogenic moieties, Y-shaped 663
Mesogens 1
–, new types 257
–, side-chain LC 221
Mesomorphic stabilization, LC polymers 481
Mesophase elastomers, stress-induced mesophase formation 221
– transition, isotropic-smectic 315
Metal colloids 383
– complexation 395
Metal-containing intermacromolecular complexes 451
Metal(styrene-methyl methacrylate) copolymer 383
Methacrylates/atactic polystyrene 681
Methacrylic acid 511
N-Methacryloyl pyrrole, radical polymerization 155
Metharcyloyl-terminated macromonomers 511
p-Methoxyphenylmaleimide, spontaneous copolymerization 235
p-Methoxystyrene-maleic anhydride copolymers 543
Methyl acrylate 73
Methyl methacrylate 571
– –, bulk polymerization 31
– –, radical polymerization 53
4-Methyl anisole, 2,6-disubstituted 599
Methyl styrylidenecyanoacetate 25
Methylenebisacrylamide 577
1-Methyl-1-methoxycarbonylethyl radical 425
p-Methylstyrene 631
Microemulsion polymerization 487
Microgels 9
MMA-styrene copolymerization 425
Morphology, TEM 535
Multicomponent polymer mixtures 465
Multicyanocyclopropane rings 25
Multiphase polymer systems 465

Neodymium catalyst 407
Networks, semi-interpenetrating 681
–, swollen 227
Nickel propionate-tributylphosphine 185
Nitrenes, aromatic 565
p-Nitrophenyl esters, esterolyses 413
NMR, cross polarization/magic angle spinning 429
–, ^{13}C-NMR DEPT 543
–, ^{29}Si 193
Noise damping materials 681

1,3,5,7-Octatetraene 53
Olefins, cyclic 243
α-Olefins, polymerization 645
Optical data storage 637
Organoboron copolymers 375
Oxetane, 3,3-dialkyl derivatives 95

PAN, nitrile groups, aminolysis/hydrolysis 17
PEEK, glassy amorphous 323
Penta(β-cyanoethyl)cyclopentadiene 389
PEO 345
Phenolic resins, crown ether units 251
4-Phenoxymethyl-1.3-dioxolan-2-one 171
Phenyl glycidyl ether 59
Phenylmaleimide-*N*-/*p*-methoxyphenylmaleimide, copolymerization 235
1-Phenylsulfonylbicyclobutane, homopolymerization 651
Phosphate donor 41

Phosphonate donor 41
Photochemical varor phase grafting 441
Photodegradation, reactive species 421
Photolysis, ESR technique/free-radical intermediates 421
Photoresists 565
PIB diisobutyrate, α,ω-dilithiated 615
Piezoelectric polymers 25
Plasma-induced polymerization 571
PMMA see Poly(methyl methacrylate)
Polyacetylenes 193
Poly(acrylamide), chain extension 361
– networks 577
Poly(acrylic acid), polyelectrolytes 179
Polyacrylonitrile 571
Poly(3-alkylthienylene)s, ester-functionalized 117
Polyamide-6/poly(phenylene ether) blends 465
Polyaniline salts 435
Poly(aryl-ether-ether-ketone) PEEK, glassy amorphous 323
Polyazomethine ethers, H-bonding in liquid-crystalline 429
Poly(*m,m'*-butadiynylene dibenzylterephthalate) 527
Poly(*tert*-butylacetylene) 193
Poly(butyl methacrylate) 571
–, latices 459
Poly(butylene adipate)/poly(butylene terephthalate) 141
Poly(butylene terephthalate)/poly(but!adipate), block copolyesters 141
Poly(ε-caprolactone) 345
Polycarbosilanes 243
Poly[(3-chlorocarbonylpropyl)methylsiloxane] 37
Polydecamethylene-4,4'-diphenoxy terephthalate 81
Polydiacetylenes 353, 527
Poly(*N,N*-dialkylaminoalkylacrylamides) 17
Poly(diethylsiloxane) networks 221
Poly(4,4'-*N,N*-diiminosulfoxide diaminophenyl ether), ac conductivity 311
Poly(2,6-dimethyl-1,4-phenylene oxide), mixture with PVP 205
Poly[(2-dimethylsilyl-2-cyclopentene-1,4-diyl)vinylene] 243
Poly(di-phenyl itaconates) 331
Poly(3,3-dipropyl oxetane), longitudinal acoustic mode 95
Poly(di-xylenyl itaconates) 331
Polyelectrolyte-transition metal ion association 179
Polyelectrolytes, cationic 17
Polyesters, diacetylenic units 527
–, LC 81, 257, 663
–, LC/two-dimensional mesogenic units 257
–, thermotropic 81, 257
–, transesterification 141
–, water-dispersed 673
Polyether imide, surface modifications by photochemical grafting 441
– ketones 503
– sulfones 503
– urethane 353
Polyetheretherketone (PEEK), composites 109
Polyethernitrile (PEN), composites 109
Polyethers, analysis of primary/secondary hydroxyl end groups 201
–, aromatic, Scholl reaction 503
–, LC 315
Poly(ethylene ether carbonate) diols, telechelic, hydroxyl functions 267
Poly(ethylene glycol), living cationic polymerization 511
–, photoinduced ionic conductivity 447
Polyethylene films, ultra thin, STM imaging 101
Poly(ethylene oxide) 267
– /cellulose ethers 345
– /polystyrene, poly(styrene-co-acrylic acid) 289
Polyglutamates, photochromic 637
–, – LB films 89
Poly(hemispherand) 599
Poly(2-hydroxyethylmethacrylate) 441
Poly(itaconates) 331
Poly(DL-lactide), synthesis/thermal stability 495, 623
Polymalonates, LC 481
Polymer/polymer interdiffusion 305
Polymer-anchored catalysts 399
Poly(methacrylic acid), polyelectrolytes 179
Poly(methyl acrylate)/poly(methyl methacrylate), compatibilitization 67
– /polystyrene, compatibilization 73
Poly(methyl methacrylate) (PMMA) 571
–, high conversion synthesis 31
–, isotactic/polyisobutylene blocks 615
Poly(*p*-methylstyrene-*b*-isobutylene-*b*-*p*-methylstyrene) 631
Poly(polyol), isocyanate-endcapped 549
Polyorganosiloxane 413
Polyoxacyclobutane 95
Polyoxetanes 95
Poly(oxyethylene), complexation with methanolic KSCN 275
–, viscosity behavior in methanolic KSCN 275
Poly(phenyl methacrylates) 331
Poly(phenylene ether)/polyamide-6 blends 465
Poly(phenylene sulfide) (PPS), composites 109, 135
Poly(*p*-phenylene terephthalamide) 689
Polypropylene 645
Polysaccharides 337
–, ionic 147
–, mixtures, gelation 297
–, wormlike chain 585
Polysilanes 243
–, cyclodisilazane units 607
Polysiloxanes 243
–, LC side-chain 37
Poly(styrene-co-acrylic acid)/poly(ethylene oxide) 289
Poly(styrene-*b*-isoprene) 305
Polystyrene, atactic 681
–, highly functionalized 123
–, metalated 123
– /polymethyl methacrylate 73
Polysulfides, aromatic 135
Polythiophenes, 3-alkylester-substituted 117
Poly(tolyl methacrylates) 331
Poly-*p*-trimethylsilylphenylmethacrylate-co-glycidylmethacrylate 565
Poly[1-(trimethylsilyl)-1-propyne], geometric structure 193
Polyurethane networks, bimodal 591
Poly(vinyl chloride) 305
Poly(vinyl ethers), living 519
Poly(vinylidene fluoride) 25, 305
Poly(vinylpyrrolidone), mixture with PPO 205
Poly(xylenyl methacrylates) 331
Potassium-*t*-butoxide 123
–, 18-crown-6 complex 495
PPS/PEEK/PEN composites 109
Prepolymers, acrylated urethane 213
–, hydroxy-terminated 267
–, PEEC 267
–, telechelic 473
–, urethane 549
Prepreg fabrication 59
Propellants, solid 591
1-Propene-2,3-dicarbonic acid 331
Propiolactone, polymerization via nickel-chelate complexes 185
Propylene polymerization 645
Pullulan, dilute solution properties 337
PVC/poly(ethyl methacrylate) interface, concentration profile 305
Pyrrole-containing polymers 155

Rare-earth catalyzed polymerization 407
Resins, aqueous 673
Retarder 367
Ring-opening metathesis polymerization 243

Scanning tunnelling microscope, polyethylene 101

Scleroglucan 585
Sealants 395
SEC/LALLS/RI 281
SEM/EDS 305
Sequential monomer addition 631
Size exclusion chromatography, RI/LALLS detectors, network formation 281
Sodium 2-(2-carboxybenzoyloxy)ethylmethacrylate 577
Solvent sorption, glassy polymers 323
Spherand 599
Stereoregularity 615
STM (Scanning tunnelling microscope), polyethylene 101
Styrene/butadiene/*n*-butylmethacrylate 1
Styrene/methyl methacrylate 425
Styrene-acrylic acid random copolymers, compatibilizing effect 465
Styrene-divinylbenzene, phosphinated 399
Styrene-methyl methacrylate colloids 383
Succinoglycan 585
Surface modifications 441
Surfactants, anionic/cationic 487
Swollen networks 227

Telechelic prepolymers 473
TEM 305
–, morphology 535
Ternary catalyst systems 407
Tetrahydrofurfuryl methacrylate 487
Thermo-mechanical-moisture environments 689
Thexylborane, polyaddition with dienes 375
2-(3-Thienyl)ethanol 117
2-(3-Thienyl)ethylene hexanoate 117
Thioether polymer, pendent ester groups 395
Titanium catalyst systems 41, 645
Trialkylboranes 375
Triblock copolymers 665
– –, glassy-rubbery-glassy 631
– –, PMMA/PIB 615
Tributylphosphine 185
1,1,2-Tricyano-2-carbomethoxycyclopropylstyrene 25
Triethylaluminium (TEA) 645
Triisobutylaluminium 41
Triisocyanate curatives 591
2-(Trimethylsiloxyl)-ethylmethacrylate 1
(1-Trimethylsilyl-ethinyl)-(1-methyl-vinyl) ketone 367
Triphenylmethyl methacrylate 615

Ultrahigh molecular weight polymers 571
Urethane acrylates 213
– prepolymers 549
– –, electron beam cured films 213

Vinyl ethers, living cationic polymerization 511
Vinyl ketones 367
N-Vinylcarbazole 67, 73

Water/aerosol-OT/tetrahydrofurfuryl methacrylate 487
Water-resistant films 673

Xanthan 297, 585
Xylenylether-aryl ether sulfone, triblock copolymers 665

Ziegler-Natta catalysts 645